INFORMATION SHEET







MATADOR HIGH S3 44-52645-302-0PM 36-38 EN ISO 20345: S3 SRC

Lace-up ankle boots made of durable PU-coated leather with aluminium toecaps and penetration resistant steel midsoles. Polyurethane soles are resistant to oil and a number chemicals and absorb shocks effectively. Breathable and structured insoles and 3Ddry® lining improve ventilation and make the boots comfortable to wear. ESD-approved.





Toecap, aluminium

The toecap protects toes from falling objects and compression. Meets the requirements of the EN ISO 20345:2011 standard: shock resistance is 200 J and resistance to compression 15000 N. The aluminium toecap is 50 % lighter than traditional steel toecaps.



Penetration resistant midsole, steel

The steel midsole, prevents sharp objects from penetrating through the sole. Meets the requirements of the EN ISO 20345:2011 standard: resistance to nail penetration is 1100 N.

7

Resistance to oil and many chemicals

Sievi's sole resists oil and many chemicals. The oil resistance of Sievi footwear meets the requirements of the EN ISO 20345:2011 standard.



Antistatic

Footwear designed with antistatic features, discharges the body's static electricity up to tolerances of 100 k Ω - 1000 M Ω .



Water repellent

The upper material used in this footwear is water repellent. Its water resistance meets the requirements of the EN ISO 20345:2011 standard.



Registered in England and Wales: No. 1358881

staticsafe.co.uk Tel: **01384 898 599**





Shock-absorbing heel

The shock-absorbing heel area protects the feet and the skeletal system against stress. The product meets the requirements of EN ISO 20345:2011 and EN ISO 20347:2012: the shock absorption capacity of the footwear is at least 20 J. The cushioning effect is guaranteed by the use of FlexStep® sole material in all Sievi footwear.



Sole material PU

The footwear sole is made of FlexStep® material. This single density microporous structured polyurethane sole offers very high slip-resistance and fl exibility providing excellent shock absorption.



ESD

Through its sole construction, ESD footwear provides a safe and controlled method of discharging the body's static electricity. The tolerances for the resistance of Sievi footwear are stricter (100 k Ω -35 M Ω) than for ordinary antistatic footwear (IEC 61340-5-1).



Dry feet with 3D-dry

3D-dry lining, developed by Sievi, transfers moisture from the foot to the second layer of the lining and further through the upper and away from the shoe thus keeping your feet drier and more comfortable.



FlexStep® – Grip and flexibility to work

The microporous FlexStep® sole material, developed by Sievi has been re-designed. The re-designed sole material maintains its excellent shock absorbing properties and flexibility in freezing conditions more efficient. The footwear sole therefore remains softer, even in heavy freezing conditions, and maintains excellent friction on slippery surfaces. The construction of the FlexStep® flexible sole eliminates stress and shocks to the feet and spine, helping to prevent foot and back

pains and thereby improving work efficiency. The FlexStep® flexible sole is featured on all Sievi footwear.



Registered in England and Wales: No. 1358881

staticsafe.co.uk Tel: 01384 898 599